

CDC Lied about Vaccine Myocarditis Being Mild: 20% of Sudden Deaths Caused by Myocarditis

CDC Policy: avoid autopsies; German Study Explains What They Were Hiding



Igor Chudov ✓
Dec 2

535

435



When our health officials talk about Covid vaccine victims, we always hear the same story:

- Deaths are unrelated to vaccination
- Myocarditis is mild, and nobody dies of it
- **They refuse to autopsy the victims**

This gaslighting became an art form for Covid vaccine advocates, with fact-checkers and social networks suppressing any discussion.

Social media claim misleads on risk of myocarditis

By Monique Curet
January 31, 2022

IF YOUR TIME IS SHORT

- The risk of myocarditis, inflammation of the heart muscle, from COVID-19 vaccines is small and symptoms are normally mild. But contracting COVID-19 is a strong and significant risk factor for myocarditis, especially among children under 16 years old, according to the CDC.
- Professional medical groups and federal public health agencies have said the benefits of the COVID-19 vaccine far outweigh the risks.

Myocarditis is often mild, contrary to online claims

By TERRENCE FRASER November 18, 2021

<https://apnews.com/article/fact-checking-552859079506>

CLAIM: Myocarditis can't be mild and it's an irreversible condition. Once the heart muscle is damaged, it cannot be repaired by the body. Within five years of diagnosis, the death rate from myocarditis is 50%.

AP'S ASSESSMENT: False. Myocarditis, inflammation of the heart muscle, is a mild, temporary condition in the vast majority of cases, according to experts. Irreversible scarring may occur rarely in a severe case, but even then, it may be possible for the heart muscle to heal with treatment. Experts say claims that patients with myocarditis have a high mortality rate are incorrect and misinterpret the scientific literature on the condition.

Myocarditis and pericarditis have rarely been reported. When reported, the cases have especially been in adolescents and young adult males within several days after mRNA COVID-19 vaccination (Pfizer-BioNTech or Moderna). <https://www.cdc.gov/coronavirus/2019-nCoV/vaccines/safety/myocarditis.html>

- More often after the second dose
- Usually within a week of vaccination
- **Most patients with myocarditis or pericarditis who received care responded well to medicine and rest and felt better quickly.**
- Patients can usually return to their normal daily activities after their symptoms improve.
- Those who have been diagnosed with myocarditis should consult with their cardiologist (heart doctor) about return to exercise or sports.

CDC

What are the outcomes of post-vaccine myocarditis and pericarditis?

Data collected from **the study** found that symptoms of **post-vaccine myocarditis and pericarditis are generally mild**, and symptoms often resolved on their own or with minimal treatment. Less than 20% of patients in the study were admitted to the ICU; among those patients, only two needed medication to support the heart or help with blood pressure. Overall, recovery in the hospital was short, minimal medication was needed, and patients recovered quickly. **No deaths were reported.**

<https://healthcare.utah.edu/healthfeed/postings/2022/01/myocarditis-covid19.php>

We instinctively know not to trust them, but had no scientifically *validated studies of people who died suddenly after vaccination* - until now. A study of victims of sudden post-vaccine deaths by pathologists at the University of Heidelberg was [published in Clinical Research in Cardiology](#).

Original Paper | [Open Access](#) | [Published: 27 November 2022](#)

Autopsy-based histopathological characterization of myocarditis after anti-SARS-CoV-2-vaccination



Igor's Newsletter

Independent thoughts

Subscribe

Let me read it first >

Already a subscriber? [Sign in](#)

Thomas Longenich & Peter

The
book
Co
exc
the

ists got hold of 25
" within 20 days of
n one week. They also
-existing illnesses – so

e persons who have
SARS-CoV-2-

vaccination, with vaccine-induced myocardial inflammation representing the likely or possible cause of death. Our findings establish the histological phenotype of lethal vaccination-associated myocarditis.

Standardized autopsies were performed on 25 persons who had died unexpectedly and within 20 days (*20 days was the study parameter – they died within 7 days – I.C.*) after anti-SARS-CoV-2 vaccination.

Cardiac autopsy findings consistent with (epi-)myocarditis were found in **five cases of the remaining 25 bodies** found unexpectedly dead at home within 20 days following SARS-CoV-2 vaccination.

So, 20% of all “sudden deaths” happening shortly after COVID vaccination are caused by myocarditis.

Had they not been autopsied by the University of Heidelberg pathologists, they would NEVER have a diagnosis of myocarditis.

I want to ask the following questions:

- Why doesn't the CDC perform (or arrange to perform) autopsies?

-
-



Igor's Newsletter

Independent thoughts

Type your email...

Subscribe

Let me read it first >

Already a subscriber? [Sign in](#)

carditis does NOT cause

ave any data to back up

deaths” for only one

n as autopsies of a

one, as in the above

ths were myocarditis-

scribe

Our
rea
rep
He
rel

The pathologists explain that this specific course of myocarditis was never observed before Covid vaccines:

During the last 20 years of autopsy service at Heidelberg University Hospital we did not observe comparable myocardial inflammatory infiltration.

What Caused Other 80% of Deaths?

Here's [the list](#) of “causes of death” for most of these subjects. Thanks to [Brian Mowrey](#) for pointing it out. A lot of them deserve their own substack post!!!

Look at sudden-onset pneumonia, pulmonary embolism, thrombi etc. Lots of good material to work with.

Supplementary Table 1: autopsy findings for the cases 6 - 35

case	age	sex	pre-existing diseases	cause of death
6	73	male	ischemic cardiomyopathy	arrhythmogenic cardiac failure
7	56	male	ischemic cardiomyopathy	arrhythmogenic cardiac failure
				OVID-pneumonia
				cardiac failure
				cardiac failure, pneumonia, pulmonary embolism
				stroke
				cardiac failure
				myocardial infarction
				cardiac failure
				respiratory failure
				bronchopneumonia
				paralytic ileus
				vaccine-induced thrombotic thrombocytopenia
				myocardial infarction
				cerebral mass hemorrhage
				ruptured aortic aneurysm
				pulmonary embolism
				right heart failure, deep vein thrombosis
				myocardial infarction
				intoxication
26	39	male	not applicable	cardiac tamponade
27	57	female	AH, CAD, ischemic cardiomyopathy	arrhythmogenic cardiac failure
28	21	male	drug abuse	intoxication
29	69	male	CAD	myocardial infarction
30	21	male	asthma, cardiac hypertrophy	cardiac failure
31	30	male	drug abuse	bronchopneumonia
32	55	male	no relevant preexisting disease	chronic cardiomyopathy
33	26	male	drug abuse	intoxication
34	31	female	not applicable	ruptured aneurysm of carotid artery
35	63	male	DM2, gout	myocardial infarction

Abbreviations: AH, arterial hypertension; CAD, coronary artery disease; COPD, chronic obstructive pulmonary disease; DM2, diabetes mellitus type 2.



Igor's Newsletter

Independent thoughts

Type your email...

Subscribe

Let me read it first >

Already a subscriber? [Sign in](#)

It Was Likely Worse for Younger People!

The above Heidelberg study was done on mostly old people killed by Covid vaccines.

Median age at death was 58 years (range 46–75 years).

The
vac
ref
die
die

The
sci
the
Mo

The

Will

What do you think?



Igor's Newsletter

Independent thoughts

Type your email...

Subscribe

Let me read it first >

Already a subscriber? [Sign in](#)

red in 2022 when 4th
ned up, and most
any younger persons
Covid vaccines, who

. They died “for
ots. We, the adults, let
gaslit their parents.
er even diagnosed.

al investigations follow?

Type your email...

Subscribe

MENU  The Pioneer Institute

<https://www.politifact.com/factchecks/2022/jan/31/facebook-posts/social-media-claim-misleads-risk-mycarditis/>

Social media claim misleads on risk of myocarditis

By Monique Curet
January 31, 2022





Myocarditis is often mild, contrary to online claims

By TERRENCE FRASER November 18, 2021

<https://apnews.com/article/fact-checking-552859079506>

Myocarditis and pericarditis in adolescents and young adults. *Modern*. <https://www.ccmagazine.com>

German Autopsy Study: CDC Lied about Myocarditis being "Mild" 20% of Vaccine Myocarditis



Igor's Newsletter
Independent thoughts

43

Subscribe

Let me read it first >

Already a subscriber? [Sign in](#)

Igor Chudov

There is no such thing as mild myocarditis. Ask any actual cardiologist.

♡ 155 Reply Gift a subscription Collapse

67 replies



Stephanie Brail Writes Wholistic Dec 2 Liked by Igor Chudov

Thanks for this. I just wrote up a guide for college students walking them through the data on their risk of covid (low) vs. the VAERS data, debunking a lot of the media excuses. I'll add this article to mine - <https://wholistic.substack.com/p/how-to-evaluate-risk-vs-benefit-with>

The CDC has shown itself to be at best inept but most likely an extremely corrupt organization. How they can continue to act like there's "nothing to see here" is absolutely mind-blowing.

♡ 83 Reply Gift a subscription Collapse

22 replies by Igor Chudov and others

433 more comments...



Igor's Newsletter

Independent thoughts

Subscribe

Let me read it first >

Already a subscriber? [Sign in](#)

notice